

Index

A

Acceleration, 11
Accuracy, 39, 176
Activation, 3, 26
activation, 38
Adaptive, 39, 90
Address, 223
AER, 31, 79, 164, 186, 223, 228, 231, 233
Aging, 127
Algorithm, 178
Analog, 218
Arbiter, 81
Arbitration, 118
Architecture, 10, 99, 160
Area, 176
ARM, 220
Artificial neural network, 1
Autonomous, 16
availability, 128
Axon, 2, 7, 56
axon, 18
Axons, 22

B

Backpropagation, 6, 25, 160
Backup, 173
Bandwidth, 9
Biological neuron, 2
Boltzmann machine, 3
Brain, 1, 16
Brain-inspired, 1
Broadcast, 83
Buffer, 114, 222
Bus, 10

C

Check-pointing, 137
Classification, 174
Coding, 134
coding, 18, 199
Communicate, 9
Communication, 28, 79
communication, 222
Complexity, 24, 175
Computational, 17
Conductance, 76
Convolution, 26
Code, 135
Core, 164
cortex, 18
Cortical, 2
Coupling, 115
Crossbar, 9, 29
crossbar, 73
Crossover, 196
crossover, 195
Crystallized, 64
current, 9

D

Debugging, 55
deep neural network, 18
defect, 129
Degradation, 115
Demultiplex, 224
Dendrite, 2, 80
Dendrites, 7, 22, 56
Density, 9
Depression, 27

Deserialization, 120
 Destination, 223
 Detector, 118
 Digital, 3
 Dimension, 167
 Dimple, 115
 Discretization, 41
 Doping, 115
 Drift, 76
 Dynamic, 10
 Dynamics, 3

E

eDRAM, 60
 Efficiency, 11
 Electromigration, 114, 127
 Electrostatic discharge, 114
 Emerging, 28
 Emulation, 217
 Encapsulate, 80
 Encoded, 7
 Energy, 10, 29
 Energy-efficient, 1
 Error, 138
 Event-driven, 3, 38
 Events, 9
 Excitatory, 40
 Exponential, 3

F

Fault, 127
 fault, 129
 Fault-status, 120
 Fault-tolerance, 129
 fault-tolerance, 158
 Fault-tolerant, 1, 157
 Feed-forward, 6
 Fire, 1
 Firing rate, 19
 Fitness, 196
 Flexibility, 11
 Flow-control, 106
 Footprint, 16
 Frequency coding, 18

G

Gating, 41
 Generation, 3
 Genetic algorithm, 195
 Gradients, 37

H

H-NoC, 161
 Hamming code, 136
 Hamming distance, 135
 Hardware, 8
 hardware, 17
 Hierarchical, 10
 Hodgkin-Huxley, 8
 Hodgkin-Huxley model, 22
 Hopfield, 3, 4
 Host, 222

I

Implementations, 10
 Impurities, 115
 in-memory computing, 73
 Inference, 37, 55
 Inhibitory, 38
 Input, 224
 Integration, 10, 30
 Inter-chip, 10
 Inter-Spike-Interference, 18
 inter-spike-interval , 19
 Interconnect, 11
 Interface, 163
 Intra-chip, 10

K

K-means, 170

L

Large-scale, 5, 217
 Laser, 115
 Latency, 79
 Layer, 3
 Leakage, 9
 Leaky Integrate and Fire, 8
 Leaky Integrate-and-Fire, 24, 165, 189
 Learning, 6, 25, 26, 55, 166
 learning, 192
 Link, 223
 Loihi, 85, 233

M

Map, 3
 Mapping, 9, 139, 176
 mapping, 174, 200
 Markov-state, 129
 Matrix-Arbitrator, 106

max-flow, 142
 Mean Time to Failures, 128
 Membrane, 21
 Membrane potential, 1, 2, 7, 56
 membrane potential, 8
 Memory, 28
 memory, 9, 56
 Memory cell, 57
 memristor, 30
 Message-ID, 120
 Microring, 116
 min-cut, 142
 Mix-signal, 218
 MJT, 61
 MNIST, 176
 Modulator, 118
 MTTF, 128
 Multicast, 157
 multicast, 10, 162
 Multicore, 173
 Multiplexing, 9
 Mutation, 197
 mutation, 195

N

Network, 79
 Network-on-chip, 10, 157
 Neural network, 27
 NeuroGrid, 234
 Neuromorphic, 1, 5, 9, 15
 Neuron, 2, 26
 Neurons, 79
 Node, 223
 Noise, 114
 Non-minimalistic, 114
 non-volatile memory, 61, 73
 Normalization, 38

O

Off-chip, 25
 Offspring, 196
 On-chip, 26
 online, 193
 Optical, 114
 Optimization, 37
 output, 3

P

Packet, 90, 173
 Packet-switched, 83
 Parity, 135

Passband, 115
 Payload, 223
 Perceptions, 1
 Perceptron, 3
 Performance, 10, 16
 Permanent fault, 128
 Phase Change Memory, 63
 phase coding, 20
 Photo-detectors, 114
 Photonic, 116
 Plasticity, 9, 26
 Platform, 11
 Polynomial, 3
 Pooling, 41
 Population, 19
 Postsynaptic, 27, 166
 Potentiation, 27
 Power, 6, 64, 175
 Presynaptic, 8, 27, 166
 Process, 115
 Processor, 9
 Programmable, 11

Q

Quality-of-Service, 120

R

Racetracks, 117
 rank order coding, 20
 Rate coding, 18
 Real-time, 222
 Recognition, 16
 Reconfigurable, 155
 reconfigurable, 155
 recurrent neural network, 4
 Redundancy, 129, 132
 Reliability, 9, 28, 128
 ReRAM, 62
 Rerouting, 114
 Resistance, 10
 Resistive, 63
 Resistivity, 115
 Resolution, 7
 Resonators, 114, 115
 Retention, 64
 Ring, 114
 Robust, 18
 Roll-back, 137
 Router, 93, 173
 router, 169
 Routing, 90, 177
 RRAM, 62

S

Scalable, 5
 Scheduling, 116
 SDSP, 27
 Selection, 196
 Sigmoid, 3
 Signal-to-Noise, 114
 Silicon-based, 114
 simulation, 11
 Single event transients, 129
 Software, 219
 software, 17
 Soma, 2
 Source, 223
 Spare, 134
 Sparse, 2
 Sparsity, 5
 Spectrum, 118
 speed, 9
 Spike, 83, 166
 spike, 17
 Spike driven synaptic plasticity, 27
 Spike time-dependent-plasticity, 166
 Spike timing-dependent plasticity, STDP, 8
 Spiking Deep Belief Networks, 38
 spiking neural network, 1
 spin-transfer torque, 61
 SpiNNaker, 83, 220
 SRAM, 9, 28, 58
 Stall-Go, 106
 STDP, 26, 192, 193
 Stimulus, 7
 Stochastic, 10
 Store-and-forward, 93
 STT-RAM, 61
 stuck-at-0, 131
 stuck-at-1, 131
 Subcomponents, 114
 Supervised, 6, 25
 supervised learning, 43
 Survival, 196
 Synapse, 2, 10, 27, 166, 176
 synapse, 69
 Synchrony, 20
 System, 64, 176, 217

T

Tear-down, 118
 Temporal, 7
 temporal coding, 19
 tempotron, 43
 Thinning, 114
 3D integrated circuits, 5
 3D-NoC, 191
 threshold, 3
 Through-silicon-vias, 157
 Throughput, 177
 throughput, 9
 Time-division-multiplexing, 93
 Time-to-first-spike, 19, 41
 Timing, 18
 Topology, 3, 163
 Training, 42
 Trans-Impedance-Amplification, 120
 Transient fault, 128
 Transistor, 9, 58
 Transmission, 167
 TrueNorth, 85, 228
 Tuning, 115
 2D-NoC, 157

U

Unsupervised, 6, 25

V

Variability, 115
 Virtual-cut-through, 93

W

Watchdog, 134
 Waveguide, 114
 Wavelengths, 114
 Wear-out, 127
 Weight, 6, 26, 70
 Winner-Take-All, 41
 Wormhole, 88